

### Visit Our Web Site at www.usindustrial.com

# ONE (1) NEW U.S. INDUSTRIAL 13" X 40" PRECISION GEARED HEAD ENGINE LATHE MODEL USL1340

This small geared head engine lathe is a good choice for maintenance shops, machine shops, or serious hobbyists. Large spindle bore passes 2" diameter. This machine operates on 220 volts, 1 phase. Please review full kit of included accessories below:

#### Standard Equipment: (Items below are INCLUDED with the machine):

- 8" 3-Jaw Chuck. Universal, Self-centering
- 8" 4-Jaw Independent Chuck
- Face Plate
- Foot Brake with microswitch
- Steady Rest
- Follow Rest
- 4-Way Tool Post
- Micrometer Carriage Stop
- Thread Dial
- Inch/Metric Dials on cross, compound and tailstock

- Safety Chuck Shield
- Work Lamp
- Taper Attachment (installed)
- Flood Coolant System
- Large spindle bore to pass 2"
- Sino 2-axis Digital Readout, inch and metric, (installed)
- Rear Splash Guard
- Manual with test certificate
- Slide out Chip Pan
- 220 Volt, Single phase operation
- Induction hardened bed ways



## **U.S. INDUSTRIAL MACHINERY**

P.O. BOX 2098 MEMPHIS, TN 38101 PHONE: (800) 860-1850 FAX: (901) 526-2339 **Visit Our Web Site at www.usindustrial.com** 

#### **Specifications and important information:**

Swing Over Bed	12.99"
Swing Over Cross-Slide	7.79"
Swing Over Gap	18.74"
Maximum Turning Length	39.37"
Spindle Bore	2.008"
Spindle Mount Type	D1-5

8 Spindle Speeds 90 to 2000 RPM
Longitudinal Feeds .0049 to .0656 IPR
Cross Feeds .0016 to .0210 IPR
32 Metric Threads 0.45 to 10mm
20 Inch Threads 2-1/4 to 40 TPI
Tailstock Taper No. 3 Morse Taper

Cutting tool size, max 5/8" Square

Main Motor HP 2 HP (1.5 kw) 220V, single phase

Lathe Gross Weight 1,400 lbs.

Crated Dimensions 77" long, 30" wide, 60" tall

PRICE......\$ 11,950.00

#### **AVAILABLE OPTIONS:**

We await your reply and thank you for this opportunity to quote.

Sincerely,

Sales Department, U.S. INDUSTRIAL MACHINERY

### QUICK CHANGE TOOL POST OPTION - (Replaces standard four-way tool post)

Thank you for the opportunity to quote. We are pleased to offer the following equipment for your consideration:


# ONE – NEW QUICK CHANGE TOOLPOST WITH FIVE HOLDERS, FOR FACTORY ONLY INSTALL ON USL SERIES LATHES

Note: We use the wedge style, #333 for our Lathes. This comes with Part off holder, knurling holder, boring bar holder, and two 3/4" SS holders

This is custom installation and not available after machine ships. Must be installed on lathe at time of order, prior to shipping.

Extra holders are \$75.00 each.





## **Cutting Tool Package for U.S. Industrial Lathes:**

This optional cutting tool package is designed to fit our QUICK CHANGE TOOLPOST option. It is not for the standard 4-way toolpost.

#### Tools included below are for:

•	Rough and medium finishing of the part OD  Left- and right-hand tools for working left and right hand shoulders	Fine finish of the part ID	
	<ul><li>Tools for threading OD and ID</li><li>Part off tools</li></ul>	Tools for boring the ID And more	
List of carbide cutting tools in KIT for US INDUSTRIAL LATHE: (ISO tools are imports.) Note: Tools for 13", 16", 20" and 26" Lathes will be 3/4" square shank Note: Customer MUST purchase option, OUR QC Toolpost set for install prior to shipping:			
	<ol> <li>MW LN-R, ¾" square, triangle insert, right hand</li></ol>		
	<ol> <li>MCLN-R, ¾" square, diamond insert, right hand</li> <li>MCLN-L, ¾" square, diamond insert, left hand</li> <li>Box of 10 CNMG inserts for above</li> </ol>		
	<ol> <li>MVJN-R, ¾" square, diamond insert, fine finish, right hand</li> <li>MVJN-L, ¾" square, diamond insert, fine finish, left hand</li> <li>Box of 10 VNMG inserts, 1/64" nose radius</li> </ol>		
	10. SER-0750-SET, ¾" square, for threading OD, with inserts (This is a KIT and includes threading inserts.)		
	11. SIR-0750-SET, $\frac{3}{4}$ " round, for threading ID, with inserts (This is a KIT and includes threading inserts.)		
	12. SCLCR-SET, Boring bars, .315", 3/8", $\frac{1}{2}$ ", 5/8", $\frac{3}{4}$ " bars, with (This is a KIT and includes inserts.)	inserts	
	13. RH-MCLN, Boring bar, 1" diameter, 12" long		
	15. HSSBlade for part-off holder, high speed steel		
	<ul><li>16. Arbor and key chuck for tailstock</li><li>17. Live center for tailstock</li><li>18. Semi-synthetic coolant concentrate, 1 gallon</li></ul>		
Set price\$ 2,995.00			