

Visit Our Web Site at www.usindustrial.com

ONE (1) NEW U.S. INDUSTRIAL 13" X 40" PRECISION GEARED HEAD ENGINE LATHE MODEL USL1340

This small geared head engine lathe is a good choice for maintenance shops, machine shops, or serious hobbyists. Large spindle bore passes 2" diameter. This machine operates on 220 volts, 1 phase. Please review full kit of included accessories below:

Standard Equipment: (Items below are INCLUDED with the machine):

 8" 3-Jaw Chuck. Universal, Selfcentering 4-Way Tool Post



- 8" 4-Jaw Independent Chuck
- Face Plate
- Foot Brake with microswitch
- Steady Rest
- Follow Rest

- Micrometer Carriage Stop
- Thread Dial
- Inch/Metric Dials on cross, compound and tailstock
- Safety Chuck Shield
- Work Lamp

- Taper Attachment <u>(installed)</u> Flood Coolant System
- Large spindle bore to pass 2"
- Sino 2-axis Digital Readout, inch and metric, (installed)
- Rear Splash Guard
- · Manual with test certificate
- Slide out Chip Pan
- 220 Volt, Single phase operation
- · Induction hardened bed ways

U.S. INDUSTRIAL MACHINERY

P.O. BOX 2098 MEMPHIS, TN 38101 PHONE: (800) 860-1850 FAX: (901) 526-2339

Visit Our Web Site at www.usindustrial.com

Specifications and important information:

Swing Over Bed 12.99" 7.79"
Swing Over Cross-Slide 18.74"
Swing Over Gap 39.37"
Maximum Turning Length 2.008"
Spindle Bore D1-5

Spindle Mount Type

8 Spindle Speeds

Longitudinal Feeds

Cross Feeds

32 Metric Threads

20 Inch Threads

20 to 2000 RPM

.0049 to .0656 IPR
.0016 to .0210 IPR

.045 to 10mm

2-1/4 to 40 TPI

No. 3 Morse Taper

Tailstock Taper 5/8" Square

Cutting tool size, max 2 HP (1.5 kw) 220V, single phase

Main Motor HP 1,400 lbs.

Lathe Gross Weight 77" long, 30" wide, 60" tall

Crated Dimensions

AVAILABLE OPTIONS:

Quick Change Tool Post Kit and Holders
ISO Cutting Tool Package

We await your reply and thank you for this opportunity to quote.

Sincerely,

Sales Department, U.S. INDUSTRIAL MACHINERY

QUICK CHANGE TOOL POST OPTION - (Replaces standard four-way tool post)


Thank you for the opportunity to quote. We are pleased to offer the following equipment for your consideration:

ONE - NEW QUICK CHANGE TOOLPOST WITH FIVE HOLDERS, FOR FACTORY ONLY INSTALL ON USL SERIES LATHES

Note: We use the wedge style, #333 for our Lathes. This comes with Part off holder, knurling holder, boring bar holder, and two 3/4" SS holders

This is custom installation and not available after machine ships. Must be installed on lathe at time of order, prior to shipping.





Cutting Tool Package for U.S. Industrial Lathes:

This optional cutting tool package is designed to fit our QUICK CHANGE TOOLPOST option. It is not for the standard 4-way toolpost.

Tools included below are for:

- Rough and medium finishing of the part OD Fine finish of the part ID
- · Left- and right-hand tools for working left and right hand shoulders

- Tools for threading OD and ID Tools for boring the ID Part off tools And more......

List of carbide cutting tools in KIT for US INDUSTRIAL LATHE: (ISO tools are imports.)
Note: Tools for 13", 16", 20" and 26" Lathes will be 3/4" square shank
Note: Customer MUST purchase option, OUR QC Toolpost set for install prior to shipping:
 MW LN-R, ¾" square, triangle insert, right hand
 4. MCLN-R, ³⁄₄" square, diamond insert, right hand 5. MCLN-L, ³⁄₄" square, diamond insert, left hand 6. Box of 10 CNMG inserts for above
 7. MVJN-R, ¾" square, diamond insert, fine finish, right hand
10. SER-0750-SET, ¾" square, for threading OD, with inserts
11. SIR-0750-SET, ¾" round, for threading ID, with inserts (This is a KIT and includes threading inserts.)
12. SCLCR-SET, Boring bars, .315", 3/8", ½", 5/8", ¾" bars, with inserts (This is a KIT and includes inserts.)
13. RH-MCLN, Boring bar, 1" diameter, 12" long
15. HSSBlade for part-off holder, high speed steel
16. Arbor and key chuck for tailstock

17. Live center for tailstock..... 18. Semi-synthetic coolant concentrate, 1 gallon......